

PRODUCT-DETAILS

## 0248/04-101-500

## 0248/04-101-500 Flush Mounted Inserts Flush -mounted installation boxes and inserts Alpine white



<b>General Information</b>	
Extended Product Type	0248/04-101-500
Product ID	2CKA000230A0464
EAN	4011395176214
Catalog Description	0248/04-101-500 Flush Mounted Inserts Flush-mounted installation boxes and inserts Alpine white
Long Description	With screwless terminals (with screw-type terminals on the back). With 4 terminals. Cable cross-section max. 10 mm2. Polarity is indicated by color. With claw.

Technical	
Application	Loudspeaker connection
Product Range	Flush-mounted installation boxes and inserts
Mounting Type	Flush Mounted
Type of Fastening	Mounting with Claw Mounting with Screw
Type of Indicator	Without indication field
Outlet Orientation	Straight
Surface Finishing	Surface protection: Untreated Surface finishing: Matt
Material	Material quality: Thermoplastic (3) Material: Plastic (3)
RAL Number	RAL 9010 - Pure White
Color	Alpine white
Battery Weight	0 g
Number of Batteries	0

Environmental	
Degree of Protection	IP20
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment

Dimensions	
Product Net Weight	0.066 kg
Built-In Depth (t <sub>2</sub> )	40 mm

Container Information	
Package Level 1 Units	carton 10 piece
Package Level 1 Width	158 mm
Package Level 1 Height	76 mm
Package Level 1 Depth / Length	249 mm
Package Level 1 Gross Weight	0.66 kg
Package Level 1 EAN	4011395176214
Package Level 2 Units	100 piece
Package Level 2 Width	264 mm
Package Level 2 Height	333 mm
Package Level 2 Depth / Length	398 mm
Package Level 2 Gross Weight	6.967 kg
Package Level 3 Units	2700 piece
Package Level 3 Width	0.8 m
Package Level 3 Height	1.149 m
Package Level 3 Depth / Length	1.2 m
Package Level 3 Gross Weight	208.109 kg

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85366990
Country of Origin	Czech Republic (CZ)

Certificates and Declarations (Document Number)	
Declaration of Conformity - CE	2CKA200000E0081
Instructions and Manuals	No document needed
RoHS Information	9AKK104295D8727

Popular Downloads	
Data Sheet, Technical Information	No document needed
Instructions and Manuals	No document needed

0248/04-101-500

Classifications	
ETIM 7	EC000018 - Insert/cover for communication technology
ETIM 8	EC000018 - Insert/cover for communication technology
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 69 90
eClass	V11.0 : 27144049

## **Categories**

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ ABB\ Nordics \rightarrow Design\ Calle \rightarrow Flush\ Mounted\ Inserts \rightarrow Loudspeaker\ Connector\ Inserts$ 

Low Voltage Products and Systems  $\rightarrow$  Switch Assortments  $\rightarrow$  Flush Mounted VDE Range - Basic 55  $\rightarrow$  Design Basic55  $\rightarrow$  Flush Mounted Inserts  $\rightarrow$  Loudspeaker Connector Inserts

Low Voltage Products and Systems  $\rightarrow$  Switch Assortments  $\rightarrow$  Flush Mounted VDE Range - Busch-Jaeger  $\rightarrow$  Design Allwetter 44 (IP 44)  $\rightarrow$  Flush Mounted Inserts  $\rightarrow$  Loudspeaker Connector Inserts

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Alpha \rightarrow Flush\ Mounted\ Inserts \rightarrow Loudspeaker\ Connector\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-art\ linear \rightarrow Flush\ Mounted\ Inserts \rightarrow Loudspeaker\ Connector\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-Axcent \rightarrow Flush\ Mounted\ Inserts \rightarrow Loudspeaker\ Connector\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-Balance\ SI \rightarrow Flush\ Mounted\ Inserts \rightarrow Loudspeaker\ Connector\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems\ \to\ Switch\ Assortments\ \to\ Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger\ \to\ Design\ Busch-Dynasty\ \to\ Flush\ Mounted\ Inserts\ \to\ Loudspeaker\ Connector\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Carat \rightarrow Flush\ Mounted\ Inserts \rightarrow Loudspeaker\ Connector\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow\ Design\ Future \rightarrow\ Flush\ Mounted\ Inserts \rightarrow\ Loudspeaker\ Connector\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow\ Design\ Impuls \rightarrow\ Flush\ Mounted\ Inserts \rightarrow\ Loudspeaker\ Connector\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Pur\ Stainless\ Steel \rightarrow Flush\ Mounted\ Inserts \rightarrow Loudspeaker\ Connector\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ SI \rightarrow Flush\ Mounted\ Inserts \rightarrow Loudspeaker\ Connector\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger\ \rightarrow\ Design\ Solo\ \rightarrow\ Flush\ Mounted\ Inserts\ \rightarrow\ Loudspeaker\ Connector\ Inserts$ 

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow VDI\ -\ Voice\ /\ Data\ /\ Image\ Connectors \rightarrow Loudspeaker\ Connector\ \rightarrow\ Loudspeaker\ Connector\ -\ Flush\ Mounted\ \rightarrow\ Loudspeaker\ Connector\ Inserts$ 

