

PRODUCT-DETAILS

0248/02-101

0248/02-101 USB connection box Flushmounted installation boxes and inserts White



General Information	
Extended Product Type	0248/02-101
Product ID	2CKA000230A0402
EAN	4011395136782
Catalog Description	0248/02-101 USB connection box Flush-mounted installation boxes and inserts White
Long Description	With screwless terminals (with screw-type terminals on the back). With 4 terminals. Cable cross-section max. 10 mm2. Polarity is indicated by color. With claw.

Technical	
Application	Loudspeaker connection
Product Range	Flush-mounted installation boxes and inserts
Mounting Type	Flush Mounted
Type of Fastening	Mounting with Claw Mounting with Screw
Type of Indicator	Without indication field
Outlet Orientation	Straight
Surface Finishing	Surface protection: Untreated Surface finishing: Matt
Material	Material quality: Thermoplastic Material: Plastic
RAL Number	RAL 1013 - Oyster White
Color	White
Number of Batteries	0

_					
Εn	VI	ro	nn	nei	ntal

Degree of Protection	IP20
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment

Dimensions	
Product Net Width	71 mm
Product Net Height	32 mm
Product Net Depth / Length	71 mm
Product Net Weight	66 g
Built-In Depth (t2)	40 mm

Container Information

Package Level 1 Units	carton 10 piece
Package Level 1 Width	158 mm
Package Level 1 Height	76 mm
Package Level 1 Depth / Length	249 mm
Package Level 1 Gross Weight	0.66 kg
Package Level 1 EAN	4011395136782
Package Level 2 Units	100 piece
Package Level 2 Width	264 mm
Package Level 2 Height	333 mm
Package Level 2 Depth / Length	398 mm
Package Level 2 Gross Weight	6.967 kg
Package Level 3 Units	2700 piece
Package Level 3 Width	0.8 m
Package Level 3 Height	1.149 m
Package Level 3 Depth / Length	1.2 m
Package Level 3 Gross Weight	208.109 kg

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85366990
Country of Origin	Czech Republic (CZ)

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA200000E0023
Instructions and Manuals	No document needed
RoHS Information	9AKK104295D8727

Popular Downloads

Data Sheet, Technical	No document needed
Information	

Instructions and No document needed Manuals

Classifications	
ETIM 7	EC000018 - Insert/cover for communication technology
ETIM 8	EC000018 - Insert/cover for communication technology
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 69 90
eClass	V11.0 : 27144049

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ ABB\ Nordics \rightarrow Design\ Calle \rightarrow Flush\ Mounted\ Inserts \rightarrow Loudspeaker\ Connector\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Basic\ 55 \rightarrow Design\ Basic55 \rightarrow Flush\ Mounted\ Inserts \rightarrow Loudspeaker\ Connector\ Inserts$

Low Voltage Products and Systems \rightarrow Switch Assortments \rightarrow Flush Mounted VDE Range - Busch-Jaeger \rightarrow Design Allwetter 44 (IP 44) \rightarrow Flush Mounted Inserts \rightarrow Loudspeaker Connector Inserts

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Alpha \rightarrow Flush\ Mounted\ Inserts \rightarrow Loudspeaker\ Connector\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-art\ linear \rightarrow Flush\ Mounted\ Inserts \rightarrow Loudspeaker\ Connector\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-Axcent \rightarrow Flush\ Mounted\ Inserts \rightarrow Loudspeaker\ Connector\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-Balance\ SI \rightarrow Flush\ Mounted\ Inserts \rightarrow Loudspeaker\ Connector\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Busch-Dynasty \rightarrow Flush\ Mounted\ Inserts \rightarrow Loudspeaker\ Connector\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Carat \rightarrow Flush\ Mounted\ Inserts \rightarrow Loudspeaker\ Connector\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Future \rightarrow Flush\ Mounted\ Inserts \rightarrow Loudspeaker\ Connector\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Impuls \rightarrow Flush\ Mounted\ Inserts \rightarrow Loudspeaker\ Connector\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Pur\ Stainless\ Steel \rightarrow Flush\ Mounted\ Inserts \rightarrow Loudspeaker\ Connector\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \to Switch\ Assortments \to Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \to Design\ SI \to Flush\ Mounted\ Inserts \to Loudspeaker\ Connector\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow Flush\ Mounted\ VDE\ Range\ -\ Busch-Jaeger \rightarrow Design\ Solo \rightarrow Flush\ Mounted\ Inserts \rightarrow Loudspeaker\ Connector\ Inserts$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Switch\ Assortments \rightarrow VDI\ -\ Voice\ /\ Data\ /\ Image\ Connectors \rightarrow Loudspeaker\ Connector\ \rightarrow\ Loudspeaker\ Connector\ -\ Flush\ Mounted\ \rightarrow\ Loudspeaker\ Connector\ Inserts$

0248/02-101 4

