

PRODUCT-DETAILS

AU60.1

AU60.1 Mounting box



	rmation

Extended Product Type	AU60.1
Product ID	2TKA001744G1
EAN	6418677334788
Catalog Description	AU60.1 Mounting box

The mounting box has a rotating ring for adjusting the screw holes for device installation in optimal angle and screw distance is c/c 60mm. The green adapter ring, delivered with the box, is used in single-board walls (12-13 mm). The ring is removed when the wall thickness is two boards (24-26 mm). The box has two fixed inlets, one of them is open and both inlets are equipped with a locking device in metal for reliable connection between the conduits and the box. Both flexipipe and stiff conduits can be connected to the inlets and the inlets have 16/20 mm piping adapters. In addition, there are four openable holes on the sides and two in bottom for different

inlets._x000D_ _x000D_

The box is also tested in firewalls EI60 (mounting instruction separately)._x000D_ x000D

Manufactured from halogen free material (IEC/61249-2-21), the box complies with the IEC/EN60670:2005 glow wire test (850 °C).

Long Description

Technical	
Application	None
Number of Poles	0
Number of Conduit Inlets	2
Number of Gangs	1
Number of Inlet Inserts	2

ncl	۱	ч	_	А

Design	Device connection box (round/square)
Cover Mounting Type	Snap On
Mounting Type	Flush mounted (plaster)
Switching Equipment Mounting Type	Screw
Shape	Round
Surface Finishing	Untreated
Material	Plastic
Includes	None
Cover Style	Construction Protective Cover
Model Number	Single
Color	Blue

Environmental

Degree of Protection	IP3X
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment

Dimensions

0.071 m
0.057 m
71 mm
0.08 kg
101 mm

Container Information

Package Level 1 Units	box 80 piece
Package Level 1 Width	0.4 m
Package Level 1 Height	0.26 m
Package Level 1 Depth / Length	0.4 m
Package Level 1 Gross Weight	6.6 kg
Package Level 1 EAN	6418677334788
Package Level 3 Units	pallet (lift) 1440 piece
Package Level 3 Width	1.2 m
Package Level 3 Height	1.1 m
Package Level 3 Depth / Length	0.8 m
Package Level 3 Gross Weight	118.8 kg

Ordering

Minimum Order Quantity	80 piece
Customs Tariff Number	39259080
E-Number (Sweden)	1422242
Country of Origin	Finland (FI)

Certificates and Declarations (Document Number)

Declaration of 9AKK106713A4627

AU60.1

Conformity - CE

Instructions and	9AKK10103A2549
Manuals	
RoHS Information	9AKK106713A4634

Popular Downloads

Data Sheet, Technical Information	9AKK10103A2549
Instructions and	9AKK10103A2549
Manuals	

Classifications

ETIM 7	EC002601 - Box/housing for built-in mounting in the wall/ceiling
ETIM 8	EC002601 - Box/housing for built-in mounting in the wall/ceiling
WEEE Category	Product Not in WEEE Scope

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Materials \rightarrow Flush\ Mounted\ Boxes \rightarrow Plastic\ Installation\ Boxes\ (for\ WA\ Inserts) \rightarrow Hollow\ Wall$

