OVE Austrian Electrotechnical Association

Eschenbachgasse 9 | 1010 Wien | Austria

ZVR: 327279890 | www.ove.at

OVE Certification

Kahlenberger Str. 2A | 1190 Wien | Austria T +43 1 370 58 06 | certification@ove.at

Validity of ÖVE-Certificates can be checked at www.ove.at



Page 1 of 4

ÖVE-CERTIFICATE

including the entitlement to use the Austrian Safety Mark



Certificate No.: 43-151-15 Valid from: 2022 02 25

until: 2024 02 25

The Austrian Electrotechnical Association (OVE) hereby grants the right to the company mentioned below to label the listed products with the Austrian Safety Mark.

PC Electric Ges.m.b.H. Company:

Diesseits 145

4973 St. Martin im Innkreis

Austria

Product: **Connector for industrial purposes**

The products submitted by the applicant were type tested in accordance with the requirements of the technical standards and specifications listed in this certificate. OVE certifies the conformity of the listed products and those products manufactured strictly identical to the submitted ones (EN ISO/IEC 17067, Conformity Assessment Scheme Type 5).

The manufacturing process and the products are subject to ongoing surveillance based on harmonized European procedures. This certificate has been issued under the presumption and conditional on the fact that the applicant holds all necessary legal rights with regard to the product, presented for the testing and certification.

Results of testing are shown in file No(s).: TGM-VA EE 38292, 35181

Österreichischer Verband für Elektrotechnik


Head of OVE Certification

Digitally signed by T. Neumayer Email=t.peumayer@ove.at

Dipl.-Ing. T. Neumayer

Wien, 2022 01 18









Certificate No.: 43-151-15

Date: 2022 01 18 Page 2 of 4

Manufacturer:

PC Electric Ges.m.b.H. Diesseits 145 4973 St. Martin im Innkreis Austria

Factory location(s):

PC Electric Ges.m.b.H. Diesseits 145 4973 St. Martin im Innkreis Austria

Tested and certified according to:

ÖVE/ÖNORM EN 60309-1:2013-03-01 ÖVE/ÖNORM EN 60309-2:2013-03-01

This certificate is the basis for the EU Declaration of Conformity and the CE Marking by the manufacturer or his agent and shows the conformity of the certified product(s) with the listed standards as defined by the **EU Low-Voltage Directive 2014/35/EU**. For the presumption of conformity according to Art. 12 with the safety objectives according to Art. 3 of the Directive, transitional periods given in the Official Journal of the European Union have to be observed.

Trademark:

Product: Connector for industrial purposes

Rating:	
2335 Insulating voltage: 690 V 2P+PE IP 67 or IP 66/IP 67 see typelist	PCE / ELCEE / SIROX / METECEE
2345 Insulating voltage: 690 V or 1000 V 3P+PE IP 67 or IP 66/IP 67 see typelist	PCE / ELCEE / SIROX / METECEE
2355 Insulating voltage: 690 V 3P+N+PE	PCE / ELCEE / SIROX / METECEE

OVE Certification

IP 67 or IP 66/IP 67

see typelist

Type designation:





Certificate No.: 43-151-15

Date: 2022 01 18

Page 3 of 4

233 PCE / ELCEE / SIROX / METECEE

Insulating voltage: 690 V

2P+PE

IP 67 or IP 66/IP 67

see typelist

234 PCE / ELCEE / SIROX / METECEE

Insulating voltage: 690 V or 1000 V

3P+PE

IP 67 or IP 66/IP 67

see typelist

235 PCE / ELCEE / SIROX / METECEE

Insulating voltage: 690 V

3P+N+PE

IP 67 or IP 66/IP 67

see typelist

23351 PCE / ELCEE / SIROX / METECEE

Insulating voltage: 690 V

2P+PE IP 44 see typelist

23451 PCE / ELCEE / SIROX / METECEE

Insulating voltage: 690 V or 1000 V

3P+PE IP 44 see typelist

23551 PCE / ELCEE / SIROX / METECEE

Insulating voltage: 690 V

3P+N+PE IP 44 see typelist

2331 PCE / ELCEE / SIROX / METECEE

Insulating voltage: 690 V 2P+PE

IP 44 see typelist

2341 PCE / ELCEE / SIROX / METECEE

Insulating voltage: 690 V or 1000 V

3P+PE IP 44 see typelist

2351 PCE / ELCEE / SIROX / METECEE

Insulating voltage: 690 V

3P+N+PE IP 44 see typelist

OVE Certification





Certificate No.: 43-151-15

Date: 2022 01 18

Page 4 of 4

Typelist

Туре	Rated current A	Earthing contact pos.	Rated opertaing voltage V	Frequency Hz
233 2331 2335* 23351*	63	1	Other ratings	Other ratings
		2	>50	>300 - 500
		3	>50 - 250	DC
		4	100 – 130	50 and 60
		6	200 – 250	50 and 60
		7	480 – 500	50 and 60
		8*	>250	DC
		9	380 – 415	50 and 60
		10	>50	>100 - 300
		12	Supply from an isolating transformer	50 and 60
234 2341 2345* 23451*	63	1	Other ratings	Other ratings
		2	>50	>300 - 500
		3	380	50
			440	60
		4	100 – 130	50 and 60
		5	600 – 690	50 and 60
		6	380 – 415	50 and 60
		7	480 - 500	50 and 60
		8*	1000	50 and 60
		9	200 – 250	50 and 60
		10	>50	>100 - 300
		11	440 – 460	60
		12	Supply from an isolating transformer	50 and 60
		1	Other ratings	Other ratings
235 2351 2355 23551	63	2	>50	>300 - 500
		3	220/380	50
			250/440	60
		4	57/100 – 75/130	50 and 60
		5	347/600 – 400/690	50 and 60
		6	200/346 – 240/415	50 and 60
		7	277/480 – 288/500	50 and 60
		9	120/208 – 144/250	50 and 60
		10	>50	>100 - 300
		11	250/440 – 265/460	60
		12	Supply from an isolating transformer	50 and 60

233, 234, 235, 2331, 2341, 2351..... with pilot contact 2335, 2345, 2355, 23351, 23451, 23551...... without pilot contact

OVE Certification



^{*} Types 2335, 23351 8h / >250V DC additional marking:

^{*} Types 2345, 23451 8h / 1000V AC only for type 2345, additional marking:

[&]quot;Only for use with electrical interlock"