#### **OVE Austrian Electrotechnical Association**

Eschenbachgasse 9 | 1010 Wien | Austria ZVR: 327279890 | www.ove.at

**OVE Certification**Kahlenberger Str. 2A | 1190 Wien | Austria T +43 1 370 58 06 | certification@ove.at

Validity of ÖVE-Certificates can be checked at www.ove.at



Page 1 of 10

# **ÖVE-CERTIFICATE**

including the entitlement to use the Austrian Safety Mark



Certificate No.: 43-152-15 Valid from: 2022 05 17

until: 2024 05 17

The Austrian Electrotechnical Association (OVE) hereby grants the right to the company mentioned below to label the listed products with the Austrian Safety Mark.

Company: PC Electric Ges.m.b.H.

Diesseits 145

4973 St. Martin im Innkreis

Austria

Product: Socket outlets for industrial purposes

The products submitted by the applicant were type tested in accordance with the requirements of the technical standards and specifications listed in this certificate. OVE certifies the conformity of the listed products and those products manufactured strictly identical to the submitted ones (EN ISO/IEC 17067, Conformity Assessment Scheme Type 5).

The manufacturing process and the products are subject to ongoing surveillance based on harmonized European procedures. This certificate has been issued under the presumption and conditional on the fact that the applicant holds all necessary legal rights with regard to the product, presented for the testing and certification.

Results of testing are shown in file No(s).: TGM-VA EE 35179

Österreichischer Verband für Elektrotechnik

Head of OVE Certification


Digitally signed by T. Neumayer 
Email=t.peumayer@ove.at

Dipl.-Ing. T. Neumayer



Wien, 2022 03 31









Date: 2022 03 31 Page 2 of 10

#### Manufacturer:

PC Electric Ges.m.b.H. Diesseits 145 4973 St. Martin im Innkreis Austria

### Factory location(s):

PC Electric Ges.m.b.H. Diesseits 145 4973 St. Martin im Innkreis Austria

#### Tested and certified according to:

ÖVE/ÖNORM EN 60309-1:2013-03-01 ÖVE/ÖNORM EN 60309-2:2013-03-01 IEC 60309-1:1999 + A1:2005 + A2:2012 IEC 60309-2:1999 + A1:2005 + A2:2012

This certificate is the basis for the EU Declaration of Conformity and the CE Marking by the manufacturer or his agent and shows the conformity of the certified product(s) with the listed standards as defined by the EU Low-Voltage Directive 2014/35/EU. For the presumption of conformity according to Art. 12 with the safety objectives according to Art. 3 of the Directive, transitional periods given in the Official Journal of the European Union have to be observed.

## **Product: Socket outlets for industrial purposes**

Type designation: Rating:	Trademark:
133 2P+PE IP 67 or IP 66/IP 67 for wall mounting see typelist	PCE / ELCEE / SIROX / METECEE
134 3P+PE IP 67 or IP 66/IP 67 for wall mounting see typelist	PCE / ELCEE / SIROX / METECEE







Date: 2022 03 31 Page 3 of 10

135 PCE / ELCEE / SIROX / METECEE

3P+N+PE IP 67 or IP 66/IP 67 for wall mounting see typelist

1335 PCE / ELCEE / SIROX / METECEE

2P+PE IP 67 or IP 66/IP 67 for wall mounting see typelist

1345 PCE / ELCEE / SIROX / METECEE

3P+PE IP 67 or IP 66/IP 67 for wall mounting see typelist

1355 PCE / ELCEE / SIROX / METECEE

3P+N+PE IP 67 or IP 66/IP 67 for wall mounting see typelist

333 PCE / ELCEE / SIROX / METECEE

2P+PE IP 67 or IP 66/IP 67 straight design see typelist

334 PCE / ELCEE / SIROX / METECEE

3P+PE IP 67 or IP 66/IP 67 straight design see typelist

335 PCE / ELCEE / SIROX / METECEE

3P+N+PE IP 67 or IP 66/IP 67 straight design see typelist

3335 PCE / ELCEE / SIROX / METECEE

2P+PE IP 67 or IP 66/IP 67 straight design see typelist





Date: 2022 03 31 Page 4 of 10

3345 PCE / ELCEE / SIROX / METECEE

3P+PE IP 67 or IP 66/IP 67 straight design see typelist

3355 PCE / ELCEE / SIROX / METECEE

3P+N+PE IP 67 or IP 66/IP 67 straight design see typelist

433 PCE / ELCEE / SIROX / METECEE

2P+PE IP 67 or IP 66/IP 67 sloping design see typelist

434 PCE / ELCEE / SIROX / METECEE

3P+PE IP 67 or IP 66/IP 67 sloping design see typelist

435 PCE / ELCEE / SIROX / METECEE

3P+N+PE IP 67 or IP 66/IP 67 sloping design see typelist

4335 PCE / ELCEE / SIROX / METECEE

2P+PE IP 67 or IP 66/IP 67 sloping design see typelist

4345 PCE / ELCEE / SIROX / METECEE

3P+PE IP 67 or IP 66/IP 67 sloping design see typelist

4355 PCE / ELCEE / SIROX / METECEE

3P+N+PE IP 67 or IP 66/IP 67 sloping design see typelist





Date: 2022 03 31 Page 5 of 10

1337 PCE / ELCEE / SIROX / METECEE 2P+PE

IP 67 or IP 66/IP 67 for wall mounting see typelist

1347 PCE / ELCEE / SIROX / METECEE

3P+PE IP 67 oder IP 66/IP 67 for wall mounting

see typelist

1357 PCE / ELCEE / SIROX / METECEE

3P+N+PE IP 67 or IP 66/IP 67 for wall mounting

for wall mounting see typelist

13375 PCE / ELCEE / SIROX / METECEE

2P+PE

IP 67 or IP 66/IP 67 for wall mounting see typelist

13475 PCE / ELCEE / SIROX / METECEE

3P+PE IP 67 or IP 66/IP 67 for wall mounting

see typelist

13575 PCE / ELCEE / SIROX / METECEE

3P+N+PE

IP 67 or IP 66/IP 67 for wall mounting see typelist

1331 PCE / ELCEE / SIROX / METECEE

2P+PE IP 44

for wall mounting see typelist

1341 PCE / ELCEE / SIROX / METECEE

3P+PE IP 44

for wall mounting see typelist





Date: 2022 03 31 Page 6 of 10

1351 PCE / ELCEE / SIROX / METECEE

3P+N+PE IP 44

for wall mounting see typelist

13351 PCE / ELCEE / SIROX / METECEE

2P+PE IP 44

for wall mounting see typelist

13451 PCE / ELCEE / SIROX / METECEE

3P+PE IP 44

for wall mounting see typelist

13551 PCE / ELCEE / SIROX / METECEE

3P+N+PE IP 44

for wall mounting see typelist

3331 PCE / ELCEE / SIROX / METECEE

2P+PE IP 44

straight design see typelist

3341 PCE / ELCEE / SIROX / METECEE

3P+PE IP 44

straight design see typelist

3351 PCE / ELCEE / SIROX / METECEE

3P+N+PE IP 44

straight design see typelist

33351 PCE / ELCEE / SIROX / METECEE

2P+PE IP 44

straight design see typelist





Date: 2022 03 31 Page 7 of 10

33451 PCE / ELCEE / SIROX / METECEE

3P+PE

IP 44

straight design see typelist

33551 PCE / ELCEE / SIROX / METECEE

3P+N+PE

IP 44

straight design see typelist

4331 PCE / ELCEE / SIROX / METECEE

2P+PE

IP 44

sloping design see typelist

4341 PCE / ELCEE / SIROX / METECEE

3P+PE IP 44

sloping design see typelist

4351 PCE / ELCEE / SIROX / METECEE

3P+N+PE IP 44

sloping design see typelist

43351 PCE / ELCEE / SIROX / METECEE

2P+PE IP 44

sloping design see typelist

43451 PCE / ELCEE / SIROX / METECEE

3P+PE IP 44

sloping design see typelist

43551 PCE / ELCEE / SIROX / METECEE

3P+N+PE IP 44

sloping design see typelist





Date: 2022 03 31 Page 8 of 10

13371 PCE / ELCEE / SIROX / METECEE

2P+PE IP 44

for wall mounting see typelist

13471 PCE / ELCEE / SIROX / METECEE

3P+PE IP 44

for wall mounting see typelist

13571 PCE / ELCEE / SIROX / METECEE

3P+N+PE IP 44

for wall mounting see typelist

133751 PCE / ELCEE / SIROX / METECEE

2P+PE IP 44

for wall mounting see typelist

134751 PCE / ELCEE / SIROX / METECEE

3P+PE IP 44

for wall mounting see typelist

135751 PCE / ELCEE / SIROX / METECEE

3P+N+PE IP 44

for wall mounting see typelist





Certificate No.: 43-152-15 Date: 2022 03 31

Page 9 of 10

# **Typelist**

Туре	Rated current A	Earthing contact pos.	Rated operating voltage V	Frequency Hz	Insulation Voltage V
		1	Other ratings	Other ratings	690
133		2	>50	>300 - 500	690
1337		3	>50 - 250	DC	690
333		4	100 – 130	50 and 60	690
433		6	200 – 250	50 and 60	690
	63	7	480 – 500	50 and 60	690
1335*		8*	>250	DC	690
13375*		9	380 – 415	50 and 60	690
3335*		10	>50	>100 - 300	690
4335*		12	Supply from an isolating transformer	50 and 60	690
		1	Other ratings	Other ratings	690
		2	>50	>300 - 500	690
134 1347		3	380 440	50 60	690
334		4	100 – 130	50 and 60	690
434		5	600 – 690	50 and 60	690
	63	6	380 – 415	50 and 60	690
1345		7	480 - 500	50 and 60	690
13475		9	200 – 250	50 and 60	690
3345		10	>50	>100 - 300	690
4345		11	440 – 460	60	690
		12	Supply from an isolating transformer	50 and 60	690
		1	Other ratings	Other ratings	690
		2	>50	>300 - 500	690
135 1357		3	220/380 250/440	50 60	690
335		4	57/100 – 75/130	50 and 60	690
435		5	347/600 - 400/690	50 and 60	690
	63	6	200/346 - 240/415	50 and 60	690
1355		7	277/480 – 288/500	50 and 60	690
13575		9	120/208 - 144/250	50 and 60	690
3355		10	>50	>100 - 300	690
4355		11	250/440 - 265/460	60	690
		12	Supply from an isolating transformer	50 and 60	690

133, 1337, 333, 433, 134, 1347, 334, 434, 135, 1357, 335, 435 without pilot contact 1335, 13375, 3335, 4335, 1345, 13475, 3345, 4345, 1355, 13575, 3355, 4355 with pilot contact





<sup>\*</sup> Types 1335, 13375, 3335, 4335 8h / >250V DC Additional marking:

<sup>&</sup>quot;Only for use with electrical interlock"



Certificate No.: 43-152-15 Date: 2022 03 31

Page 10 of 10

# **Typelist**

Туре	Rated current A	Earthing contact pos.	Rated operating voltage V	Frequency Hz	Insulation Voltage V
		1	Other ratings	Other ratings	690
1331		2	>50	>300 - 500	690
13371		3	>50 - 250	DC	690
3331		4	100 – 130	50 and 60	690
4331		6	200 – 250	50 and 60	690
	63	7	480 – 500	50 and 60	690
13351*		8*	>250	DC	690
133751*		9	380 – 415	50 and 60	690
33351*		10	>50	>100 - 300	690
43351*		12	Supply from an isolating transformer	50 and 60	690
		1	Other ratings	Other ratings	690
		2	>50	>300 - 500	690
1341		3	380	50	690
13471			440	60	
3341		4	100 – 130	50 and 60	690
4341		5	600 – 690	50 and 60	690
	63	6	380 – 415	50 and 60	690
13451		7	480 - 500	50 and 60	690
134751		9	200 – 250	50 and 60	690
33451		10	>50	>100 - 300	690
43451		11	440 – 460	60	690
		12	Supply from an isolating transformer	50 and 60	690
		1	Other ratings	Other ratings	690
		2	>50	>300 - 500	690
1351 13571		3	220/380 250/440	50 60	690
3351		4	57/100 – 75/130	50 and 60	690
4351		5	347/600 - 400/690	50 and 60	690
	63	6	200/346 – 240/415	50 and 60	690
13551		7	277/480 – 288/500	50 and 60	690
135751		9	120/208 – 144/250	50 and 60	690
33551		10	>50	>100 - 300	690
43551		11	250/440 – 265/460	60	690
		12	Supply from an isolating transformer	50 and 60	690

1331, 13371, 3331, 4331, 1341, 13471, 3341, 4341, 1351, 13571, 3351, 4351 13351, 133751, 33351, 43351, 13451, 134751, 33451, 43451, 13551, 135751, 33551, 43551

without pilot contact with pilotcontact





<sup>\*</sup> Types 13351, 133751, 33351, 43351 8h / >250V DC Additional marking:

<sup>&</sup>quot;Only for use with electrical interlock"